

REMARKS

Claims 2-5 have been canceled. Accordingly, claim 1 is now pending in the application.


The specification has been amended to add a cross reference to related applications section. Also, page 18 has been amended to correct an obvious typographical error, and to conform the specification to that of the parent application no. 09/479,889. No new matter has been added.

Transmitted herewith is a Submission of Proposed Drawing Correction and a Submission of Formal Drawings. The corrections to be made are obvious and typographical in nature. No new matter is added.

Entry of the amendments presented herewith is respectfully solicited.

Dated: 08 DEC 2003

Respectfully submitted,

By 

Mark J. Thronson

Registration No.: 33,082

Michael Bergman

Registration No.: 42,318

DICKSTEIN SHAPIRO MORIN &  
OSHINSKY LLP

2101 L Street NW

Washington, DC 20037-1526

(202) 785-9700

Attorneys for Applicant

Docket No.: R2184.0066/P066-A  
(PATENT)

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Patent Application of:  
Tadanori Ryu, et al.

Application No.: Not Yet Assigned

Confirmation Number:

Filed: 08 DEC 2003

Art Unit: N/A

For: AT COMMAND ANALYZING DEVICE

Examiner: Not Yet Assigned

**SUBMISSION OF PROPOSED DRAWING CORRECTIONS**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450


Dear Sir:

Applicant hereby requests Examiner approval of the drawing correction shown in red on the attached set (1 sheet, figure 3) of formal drawing submitted herewith for filing in the above-identified patent application. No new matter is added.

Favorable consideration of the enclosed corrected drawings is respectfully requested.

Dated: 08 DEC 2003

Respectfully submitted,

By   
Mark J. Thronson  
Registration No.: 33,082  
Michael Bergman  
Registration No.: 42,318  
DICKSTEIN SHAPIRO MORIN &  
OSHINSKY LLP  
2101 L Street NW  
Washington, DC 20037-1526  
(202) 785-9700  
Attorneys for Applicant

# FIG. 3

